

	Hits	Search Text	DBs
16	0	(cascade chain serial) near5 (data adj transfe\$4) and LCD and (power adj feed adj lin\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	66	(cascade chain serial) near5 (data adj transfe\$4) and LCD and feed	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	66	(cascade chain serial) near5 (data adj transfe\$4) and LCD and feed	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	61	((cascade chain serial) near5 (data adj transfe\$4) and LCD and feed) and power	USPAT; US-PGPUB
20	503	yanagi.in.	USPAT; US-PGPUB
21	21	yanagi.in. and lcd	USPAT; US-PGPUB
22	0	(synchronizatio\$4 adj pattern) same (serial adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	(synchronizatio\$4 near5 pattern) same (serial adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	72	(synchronizatio\$4 adj pattern) same (serial adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	((synchronizatio\$4 adj pattern) same (serial adj data)) and lcd	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	4	((cascade chain seri\$3) near5 (data adj transfe\$4)) with LCD	USPAT; US-PGPUB
27	75	((cascade chain seri\$3) near5 (data adj transfe\$4)) same LCD	USPAT; US-PGPUB
28	45	((cascade chain seri\$3) adj3 (data adj transfe\$4)) same LCD	USPAT; US-PGPUB
29	43	((cascade chain seri\$3) adj (data adj transfe\$4)) same LCD	USPAT; US-PGPUB

	Hits	Search Text	DBs
30	2	((cascade chain seri\$3) adj (data adj transfe\$4)) same LCD	EPO; JPO; DERWENT; IBM_TDB
31	315	koji.in. and LCD	USPAT; US-PGPUB
32	46	koji.in. and LCD and IC	USPAT; US-PGPUB
33	2	((cascade chain seri\$3) adj (signal adj lines)) same LCD	EPO; JPO; DERWENT; IBM_TDB
34	13	((cascade chain seri\$3) adj (signal adj lines)) same LCD	USPAT; US-PGPUB
35	0	((cascade chain seri\$3) adj (signal adj lines) adj IC) same LCD	USPAT; US-PGPUB
36	0	((cascade chain seri\$3) adj (driver adj IC)) same LCD	USPAT; US-PGPUB
37	6	((cascade chain seri\$3) adj (driver)) same LCD	USPAT; US-PGPUB
38	42	((cascade chain seri\$3) adj (driver)) and LCD	USPAT; US-PGPUB
39	0	((cascade) adj (driver) adj IC) and LCD	USPAT; US-PGPUB
40	1	((cascade) adj (driver)) and LCD	USPAT; US-PGPUB
41	1	((cascade chain serial) near5 (data adj transfe\$4)) and ( dummy adj circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	25	((cascade chain serial) and (data adj transfe\$4)) and ( dummy adj circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	36	((cascade chain seri\$3) adj (driver)) and LCD	USPAT
44	580	((cascade chain seri\$3) adj (driver))	USPAT
45	6	((cascade chain seri\$3) adj (driver)) with LCD	USPAT
46	2	((cascade and seri\$3) with (driver)) with LCD	USPAT

	Hits	Search Text	DBs
47	3	((cascade with seri\$3) with (driver)) and LCD	USPAT
48	19	((cascade with seri\$3) with (driver))	USPAT
49	2	((cascade and seri\$3) with (driver adj IC))	USPAT
50	4	((cascade and seri\$3) with (driver adj IC))	USPAT; US-PGPUB
51	0	((cascade and seri\$3) with (driver adj IC))	EPO; JPO; DERWENT; IBM_TDB
52	2	((cascade and seri\$3) with (driver near2 IC))	USPAT
53	12	((cascade) with (driver near2 IC))	USPAT
54	2	((cascade with seri\$3) with (driver)) and (mask\$4 near5 output)	USPAT
55	3	((cascade with seri\$3) with (driver)) and (mask\$4 near5 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	0	(driver) same (mask\$4 adj signal)	USPAT; US-PGPUB
57	118	(driver) same (mask\$4 adj signal)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB
58	10	(driver) same (mask\$4 adj signal) and LCD	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB
59	3	(driver) same (mask\$4 adj signal) and LCD	USPAT; EPO; DERWENT; IBM_TDB
60	1	(driver same controller) same (mask\$4 adj signal) and LCD	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
61	0	(driver same controller) same (mask\$4 adj signal) and LCD	USPAT; EPO; DERWENT; IBM_TDB
62	23	(driver same controller) same (mask\$4 adj signal)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB
63	46	driver same mask\$4 adj signal and display	USPAT; US-PGPUB
64	2	driver same mask\$4 adj signal and display	EPO; JPO; DERWENT; IBM_TDB
65	32	driver same mask\$4 adj signal and display	USPAT
66	32	(driver same (mask\$4 adj signal)) and display	USPAT